

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE	PAGE OF PAGES 1 10
2. AMENDMENT/MODIFICATION NO. <b>A00041</b>	3. EFFECTIVE DATE <b>See BLK 16</b>	4. REQUISITION/PURCHASE REQ. NO. <b>HSCG23-06-D-ARB001</b>	5. PROJECT NO. (If applicable) <b>RB-M</b>	
6. ISSUED BY Administrative Contracting Office 1600 Ely Street Marinette WI. 54143-2434 Laurie.J.Techmeier@uscg.mil		7. ADMINISTERED BY (If other than Item 6) <b>N/A</b>		
8. NAME AND ADDRESS OF CONTRACTOR (No. Street, county, State and ZIP: Code)  <b>Marinette Marine Corporation, Inc. 1600 Ely Street Marinette, WI 54143 DUNS #00-613-5388</b>			(4)	9A. AMENDMENT OF SOLICITATION NO.
				9B. DATED (SEE ITEM 11)
			<b>X</b>	10A. MODIFICATION OF CONTRACT/ORDER NO. <b>HSCG23-06-D-ARB001</b>
				10B. DATED (SEE ITEM 13) <b>21JUN2006</b>
CODE	FACILITY CODE			
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>				
<input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning one (1) copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and data specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)			N/A	

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

(4)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
<b>X</b>	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: <b>FAR 43.103(a)(3), Bilateral Agreement</b>
	D. OTHER Specify type of modification and authority)


**E. IMPORTANT:** Contractor  is not,  is required to sign this document and return 1 copy to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

**This No-Cost Modification incorporates the agreement of the parties for the Project Resident Office (PRO) Marinette Marine Headquarters Facility requirements in Statement of Work (SOW) Section 087-3, and the security requirements at the PRO Facilities.**

(CONTINUED ON NEXT PAGE)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) <b>MARC E. JAMO, CONTRACTS MANAGER</b>	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) <b>Laurie Techmeier, CONTRACTING OFFICER</b>
15B. CONTRACTOR/OFFEROR 	15C. DATE SIGNED <b>2/23/10</b>
16B. UNITED STATES OF AMERICA	16C. DATE SIGNED

A. The parties agree to the following at no cost:

1. The Contractor shall provide the PRO at Marinette Marine Headquarters Facility in accordance with revised SOW Section 087-3, for the period beginning 1 July 2009 and ending one year following the final performance period end date of Contract CLIN x001 (Project Management). If at any time after the Project Management Performance Period ends, and the RB-M Marinette PRO staff falls below four (4) members, MMC may choose to relocate the PRO facility to a different off-site or trailer location. The current PRO Marinette facility meets the requirements in the SOW, except for the following deficiencies which shall be corrected by the Contractor within 90 days of this Modification or as agreed to by the Contracting Officer:

a. As required in SOW Section 087-3.1.5, "flooring shall be new, or cleaned and refurbished to like-new condition." At the current PRO Marinette facility, the Contractor shall replace existing carpeting in rooms 206, 208, 210 and 211 with new carpeting.

b. The Contractor shall provide an additional four sets of computer/phone drops, in locations agreed between the Contractor and the Government, at the current PRO Marinette facility.

2. As previously agreed in Contract Modification A00014, incorporating ECP-030, the Government deleted the requirement in SOW paragraph 087-1.4.1 to have a watch attendant present 24 hours per day, 7 days per week. This results in a credit to the Government which is herein provided as consideration applied to this agreement. ECP-030 is hereby fully definitized.

3. As previously agreed in Modification A00040, for ECP-027, Changes to Outfit List, only, the Government accepted the original contract bid values for pricing of credited items in lieu of requiring the Contractor to obtain current pricing for credited items. Government acceptance of original contract bid values for pricing of credited items, for ECP-027 only, is herein provided as consideration applied to this agreement.

4. In lieu of monetary sums for the costs or cost savings associated with the above, the parties hereby agree that through the incorporation of the combined Changes, the parties accrue fair and reasonable consideration.


B. Modification A00014 incorporated the Contract Change Language associated with ECP-030, PRO Facilities Requirements, which included a new section 087-3, "Project Resident Office (PRO) at Marinette Marine Headquarters Facility" for which the requirement was yet to be determined. For tracking purposes, the Government has separated out and designated the PRO Marinette requirement as ECP-084. This Modification incorporates the Contract Change Language for the PRO at Marinette Marine Headquarters Facility, SOW section 087-3.

C. PART III – LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS, SECTION J:

Attachment 1, RB-M Statement of Work, Section 087-3, is revised. Reference ECP-084.

D. Page 4 of this Modification, a diagram of existing PRO Marinette office space, is attached as a reference document to the modification only and is not incorporated into the contract document.

- E. For the changes identified in Block 14, paragraph A, this Modification arrived at by mutual agreement of the parties, constitutes full and final adjustment of the Contract Price and Contract time of Delivery/Performance Periods for any direct, indirect, and consequential effects of these Changes described herein this paragraph including, but not limited to, cost incurred, and extension of time due to delay, disruption, or suspension of work.
- F. This Modification does not obligate Government funds.
- G. It is agreed that all other Contract requirements, terms, and conditions remain unchanged.
- H. This completes Block 14.



**087-3 [A00041] Contracting Project Resident Office (PRO) collocated at Marinette Marine Corporation facility in Marinette, Wisconsin.**

087-3.1 [A00041] Requirements through one year following the final performance period end date of Contract CLIN x001(Project Management):

087-3.1.1 [A00041] Provide a minimum of 2400 square feet (gross) of offices, storage, galley, restrooms and common area.

087-3.1.2 [A00041] Electric power shall be installed in accordance with NFPA 70.

087-3.1.3 [A00041] All data/phone drops shall be run to a RJ-45 patch panel located in the telecommunications closet identified in paragraph 087-2.3.24.2.

087-3.1.4 [A00041] Cabling shall be a minimum of Category 6 (speed rated at 1000 Mbps) and installed in accordance with BICSI Standards.

087-3.1.5 [A00041] Flooring shall be new, or cleaned and refurbished to like-new condition.

087-3.1.6 [A00041] Equipment and amenities shall be new or cleaned and refurbished to like-new condition.

087-3.1.7 [A00041] Permanent walls shall be freshly painted prior to occupancy or have wall coverings such as paneling or wallpaper. Wall coverings shall be clean and in good taste (appropriate for a business office).

087-3.1.8 [A00041] All spaces shall have sufficient overhead lighting for the intended use.

087-3.1.9 [A00041] All spaces shall meet NFPA 101 requirements specifically regarding fire safety including: smoke detectors, portable fire extinguishers, egress, and emergency lighting.

087-3.1.10 [A00041] Heating and air conditioning systems shall maintain an environmental temperature of 70 degrees (+/- 4 degrees) Fahrenheit throughout all four seasons.

087-3.1.11 [A00041] Environmental controls shall be in place to ensure acceptable indoor air quality in accordance with ANSI/ASHRAE 62-2001 "Ventilation for Acceptable Indoor Air Quality".

087-3.1.12 [A00041] All exterior doors shall be provided with floor mats on the exterior and interior of the door.

087-3.1.12.1 [A00041] Provide a clear space approximately 8 foot long by 2 foot wide near the PRO entrance for a Government-provided Coast Guard unit sign. The Government-provided unit sign will be approximately 6 foot wide by 1.5 foot high, mounted on a vertical pole

at each end. The vertical poles will be approximately 4 foot tall and secured in the ground with concrete.

087-3.1.13 [A00041] Individual Workspaces. Individual work spaces shall be furnished with the following amenities:

087-3.1.13.1 [A00041] Office grade carpeting.

087-3.1.13.2 [A00041] A private answering machine or pass-code protected voice mail system, enabled to allow message to be recorded and retrieved from off premises.

087-3.1.13.3 [A00041] Sufficient 110-120V electric power to support all contractor-provided equipment and individual outlets for 2 Coast Guard provided workstations (computer, monitor, speaker system), and two additional office appliances.

087-3.1.13.4 [A00041] One waste basket.

087-3.1.13.5 [A00041] One paper recycling container.

087-3.1.14 [A00041] Private Offices.

[A00041] Provide a minimum of seven offices as described below.

Description	Quantity	Minimum Square Footage	Comments
Large Office/Conference Room	1	320	Space for 6 person conference table and chairs
Regular Office	5	135	
Admin Office	1	175	

087-3.1.15 [A00041] Common Area.

087-3.1.15.1 [A00041] Provide the following in a common area workspace (Corridors, if wide enough may be used for Common Area requirements):

087-3.1.15.1.1 [A00041] Provide one plain paper document copier with twenty-sort capability, automatic feed, image sizing, and network interface card, rated to reproduce fifty pages per minute and 20,000 pages per month.

- 087-3.1.15.1.2[A00041] Space for 4 legal size file cabinets, and four large bookcases capable of holding loose-leaf binders containing 8.5" x 11" sheet paper (approximately 54 lineal feet of shelving).
- 087-3.1.15.1.3[A00041] Provide space, electric outlets and network drop sufficient for two Government-provided laser printers.
- 087-3.1.15.1.4[A00041] Provide space and electric outlets sufficient for one Government-provided digital scanner.
- 087-3.1.15.1.5[A00041] Provide one large paper recycling collection bin.
- 087-3.1.15.1.6. [A00041] Within the Common Area, or in the immediate vicinity of the Common Area, provide a minimum 400 cubic feet of securable, bulk storage for administrative supplies and government equipment (spare computer equipment, foul weather gear, contingency stores, etc).
- 087-3.1.16[A00041] Sanitary Facilities.
- 087-3.1.16.1 [A00041] Provide male head. At a minimum, provide:
- 087-3.1.16.1.1 [A00041] One toilet in private enclosure with a lockable door, and two toilet tissue dispensers.
- 087-3.1.16.1.2 [A00041] One sink with hot and cold running water, a mirror, hand soap, and paper hand towels.
- 087-3.1.16.1.3 [A00041] One garbage can.
- 087-3.1.16.2 [A00041] Provide female head. At a minimum, provide:
- 087-3.1.16.2.1 [A00041] One toilet in private enclosure with a lockable door, and two toilet tissue dispensers.
- 087-3.1.16.2.2 [A00041] One sink with hot and cold running water, a mirror, hand soap, and paper hand towels.
- 087-3.1.16.2.3 [A00041] One garbage can.
- 087-3.1.17 [A00041] Galley. Provide a kitchenette area with a minimum of 60 square feet that includes:
- 087-3.1.17.1 [A00041] Countertop with base cabinets underneath and hanging cabinets above.
- 087-3.1.17.2 [A00041] One double basin sink with hot and cold running water, and paper hand towels.
- 087-3.1.17.3 [A00041] One approximately eighteen cubic foot residential quality refrigerator.

087-3.1.17.4 [A00041] One microwave.

087-3.1.17.5 [A00041] One coffee maker with 2 warming plates.

087-3.1.17.6 [A00041] Electrical outlets for two additional kitchen appliances.

087-3.1.18 [A00041] Conference Room

087-3.1.18.1 [A00041] Provide access to a conference room located on MMC premises capable of seating at least 30 personnel. If not solely dedicated to the Coast Guard, the Coast Guard will schedule use of the conference room with the contractor not less than 24 hours in advance. The conference room shall have provisions for an overhead projector and contain a large screen (minimum 96" Diagonal) and telephone.

087-3.1.19[A00041] Parking.

087-3.1.19.1 [A00041] Provide eight parking spaces within the immediate vicinity (less than 100') of the staff entrance to the PRO facilities. Mark all parking spaces with "USCG".

087-3.1.20[A00041] Computing and Telecommunications Requirements

087-3.1.20.1 [A00041] Provide the address and exact location of the point of demarcation to be used for a Coast Guard furnished commercial T-1 connection to the Coast Guard Data Network (CGDN). The Coast Guard will use this address and location to separately arrange for the installation of the CGDN circuit through a commercial provider.

087-3.1.20.2 [A00041] Telecommunications Closet. The contractor shall provide a space within the PRO facilities to serve as a central telecommunications hub for all computer, data and telephone lines. This space shall be a minimum of 50 square feet and be appropriately sized and powered to support all contractor-supplied and Coast Guard provided equipment. The space must have ventilation or air conditioning to ensure an environmental temperature of 68 +/- 4 degrees Fahrenheit with all equipment running, in all seasons. In addition, provide the following:

087-3.1.20.2.1[A00041] An appropriate connection from the telecommunications closet to the point of demarcation of the Coast Guard furnished commercial T1 line described in paragraph 087-3.1.20.1.

087-3.1.20.2.2[A00041] Rack-mounted RJ-45 patch panels for all data/phone drops installed in the PRO facilities.

087-3.1.20.2.3[A00041] Patch cables connecting the contractor-provided telephone service termination blocks to the RJ-45 patch panels for all phone service.

087-3.1.20.2.4 [A00041] Provide access to the telecommunications closet for commercial installer to install a Coast Guard furnished high-speed internet connection for a Coast Guard provided computer network.

087-3.1.20.3 [A00041] Provide one new 7 foot high 19-in, 4 post rack with space and electrical outlets to accommodate Government-provided modems, routers, switches, hubs, servers, and peripheral equipment necessary to support approximately 38 data/phone drops, each drop consisting of 3 data and one phone port.

087-3.1.20.4 [A00041] Provide each office and the common workspace with data and phone drops to the telecommunications closet identified in paragraph 087-3.1.20.2, with four RJ-45 jacks wired in accordance with the EIA/TIA 568A Standard. Three jacks shall be used to provide data service. One jack in each drop shall be used to provide telephone service. The large Office/Conference Room shall have a second set of drops in the vicinity of the conference table location for phone and computer. Two additional offices (Current PRO Facility Room 210 and 210A) shall each have two sets of drops for phone and computer to accommodate two workstations in each office. Common workspace shall have four sets of drops.

087-3.1.20.5 [A00041] Provide 9 telephones with speaker function hands free dialing capability in the following locations and quantities:

Location	Number
Private Offices (Two in Admin Office)	8
Common Workspace	1

087-3.1.20.6 [A00041] Provide one analog line dedicated to the PRO fax machine located in the Common Work Area.

087-3.1.20.7 [A00041] Services. Provide the following services:

087-3.1.20.7.1[A00041] Housekeeping. At a minimum, provide the following housekeeping services. Coordinate with the PRO for access to the facilities.

087-3.1.20.7.2 [A00041] Daily trash removal.

087-3.1.20.7.3[A00041] Daily cleaning of all heads, including restocking supplies such as soap, paper towels, and toilet tissue.

087-3.1.20.7.4[A00041] Weekly vacuuming and sweeping of all floors.

087-3.1.20.7.5[A00041] Weekly collection of recycled paper.

087-3.1.20.7.6[A00041] Monthly waxing and polishing of non-carpeted floors.

087-3.1.20.7.7[A00041] Semiannual deep cleaning of floors.

- 087-3.1.20.8 [A00041] Snow and ice removal, as necessary, from walkways and parking areas.
- 087-3.1.21 [A00041] Shipping/receiving. Provide space for Coast Guard personnel to receive, sort, and store mail, packages, and shipments. Alternatively, the Contractor may receive, sort, and store all Coast Guard mail, packages, and shipments until collected by a Coast Guard PRO representative. Provide material handling services to transport large packages to the PRO facilities.
- 087-3.1.22 [A00041] Maintenance. Maintain all contractor-provided spaces and equipment in operating condition, including copy machine and facsimile machine maintenance and toner cartridge renewals. Provide a program for PRO personnel to report and follow up on needed maintenance. Unscheduled copy machine and facsimile machine repairs shall be initiated within four hours of contractor notification.
- 087-3.1.23 [A00041] Inspection. The contractor shall periodically conduct jointly with the Coast Guard a material inspection of the PRO facilities to afford the contractor, as landlord, an opportunity to ensure the Coast Guard is being a good steward of the facilities, and to review and identify any maintenance discrepancies that need attention. The first inspection shall take place within seven days of the date the Coast Guard occupies the non-temporary facilities. Subsequent inspections shall occur at the request of either the contractor or the Coast Guard, but not more frequently than monthly or less frequently than annually. Discrepancies found during these inspections shall be corrected within 14 days.